

Phone: (763) 255-2555

(800) 328-5454

FAX: (763) 255-2530



3787 95th Ave. N.E.

Blaine, MN 55014

info@arrowheadep.com

www.arrowheadep.com

NEW PRODUCTS

NEW REPLACEMENT RECTIFIERS FOR FORD



AFD1236 RECTIFIER, 6G SERIES

PIC 7750-2528D;
135 AMP;
149MM OD;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
LESTER 7795, 8253, 8315;
SEE: AFD1249 (HEAVY-DUTY CONSTRUCTION);

**REPL.: FORD
F8AU-10A366-AAIP;
REFERENCE NUMBER
FR602; 31-212**



AFD1237 RECTIFIER, 6G SERIES

PIC 7750-2527;
105 AMP;
136MM OD;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
SEE: AFD1257 (HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR);
LESTER 7788, 7796, 7797, 7798, 7799, 8252, 8261, 8262;

**REPL.: FORD
F8WU-10A366-AAIP;
REFERENCE NUMBER
FR600; 31-213**



AFD1244 RECTIFIER, 6G SERIES

PIC 7750-2533;
110 AMP
136MM OD;
6-DIODE RECTIFIER FOR 6G STATORS WITH 1-LEAD PER PHASE AND A DELTA CONNECTION;
SEE: AFD1252 (HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR);
LESTER 8260, 8264;

**REPL.: REFERENCE NUMBER
FR6083; 31-219**



AFD1245 RECTIFIER, 4G SERIES

PIC 7750-2525;
147MM OD;
8 AVALANCHE DIODES - 70 AMP;
6MM B+ POST;
HEAVY-DUTY VERSION OF THE AFD1229;

**REPL.: REFERENCE NUMBER
FR300SP**



AFD1247 RECTIFIER, 6G SERIES

PIC 7750-2529;
110 AMP
136MM OD;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
LESTER 8250, 8260, 8265, 8309;
SEE: AFD1248 (WITH AVALANCHE DIODES);
SEE: AFD1259 (HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR);

**REPL.: FORD
F8RU-10A366-CAIP;
REFERENCE NUMBER
FR601; 31-216**



AFD1249 RECTIFIER, 6G SERIES

PIC 7750-2528;
135 AMP;
149MM OD;
HEAVY-DUTY CONSTRUCTION;
HAS AVALANCHE DIODES;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
SEE: AFD1260 (STD. DIODES, W/DROP DOWN);
SEE: AFD1261 (AVALANCHE, W/DROP DOWN);
LESTER 7795, 8253, 8315, 8516;

**REPL.: REFERENCE NUMBER
FR602SP**



AFD1250 RECTIFIER, 6G SERIES

PIC 7750-2532;
110 AMP
136MM OD;
6-DIODE RECTIFIER FOR 6G STATORS WITH 1-LEAD PER PHASE AND A DELTA CONNECTION;
LESTER 8254, 8255, 8259, 8263, 8266, 8268, 8304, 8400;

**REPL.: REFERENCE NUMBER
FR6073; 31-218-1**



AFD1252 RECTIFIER, 6G SERIES

PIC 7750-2533B;
110 AMP;
136MM OD;
HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR;
6-DIODE RECTIFIER FOR 6G STATORS WITH 1-LEAD PER PHASE AND A DELTA CONNECTION;
SEE: AFD1244 (STANDARD RECTIFIER);
LESTER 8260, 8264;

**REPL.: REFERENCE NUMBER
FR6083**

Phone: (763) 255-2555
(800) 328-5454
FAX: (763) 255-2530



3787 95th Ave. N.E.
Blaine, MN 55014
info@arrowheadep.com
www.arrowheadep.com

The information herein is based upon data which we believe to be correct and believe to have been obtained from reliable sources, but no representation is made herein, nor should any be implied, regarding the accuracy of any such information and we assume no liability for any errors or omissions in any such information. Any original equipment manufacturers or other manufacturers or distributors, whose names, numbers, pictures, symbols, products and/or descriptions are, or may be, listed or shown herein are used for reference purposes only and there is no representation made or intended, nor should any be implied, that any item reference herein is the product of, or was manufactured and/or distributed, by, the referenced manufacturer or distributor, as the case may be.
This brochure is intended for reference purposes only. For pricing or terms and conditions, please refer to your price sheet.

9/08-11


NEW REPLACEMENT RECTIFIERS FOR FORD



AFD1253 RECTIFIER, 3G SERIES

PIC 7750-2518A;
95 AMP;
133MM OD;
HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR;
SEE: AFD1214 (STANDARD RECTIFIER);
SEE: AFD1254 (ALSO HAS AVALANCHE DIODES);
LESTER 7749, 7750, 7751, 7753, 7755, 7760, 7785, 7790, 7793, 7794;

**REPL.: REFERENCE NUMBER
FR2013**



AFD1255 RECTIFIER, 3G SERIES

PIC 7750-2519C;
130 AMP;
146MM OD;
HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR;
SEE: AFD1215 (STANDARD RECTIFIER);
LESTER 7752, 7756, 7764, 7765, 7768, 7769, 7770, 7771, 7774, 7775, 7776, 7777, 7778, 7784, 7789, 7791, 7792, 8267;

**REPL.: REFERENCE NUMBER
FR2023 / 31-208-1**



AFD1257 RECTIFIER, 6G SERIES

PIC 7750-2527A;
105 AMP;
136MM OD;
HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
SEE: AFD1237 (STANDARD RECTIFIER);
LESTER 7788, 7796, 7797, 7798, 7799, 8252, 8261, 8262;

**REPL.: FORD
F8WU-10A366-AAIP;
REFERENCE NUMBER
FR6003; 31-213-1**



AFD1259 RECTIFIER, 6G SERIES

PIC 7750-2529B;
110 AMP; 136MM OD; STANDARD DIODES;
HAS DROP DOWN STATOR CONNECTIONS;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
SEE: AFD1247 (STANDARD RECTIFIER);
LESTER 8250, 8260, 8265, 8309;

**REPL.: REFERENCE NUMBER
FR6013; 31-216-1**



AFD1260 RECTIFIER, 6G SERIES

PIC 7750-2528C;
135 AMP; 149MM OD;
HEAVY-DUTY CONSTRUCTION; STANDARD DIODES;
HAS DROP DOWN STATOR CONNECTIONS;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
SEE: AFD1249 (AVALANCHE, WO/DROP DOWN)
SEE: AFD1261 (AVALANCHE, W/DROP DOWN);
LESTER 7795, 8253, 8315, 8516;

**REPL.: REFERENCE NUMBER
FR6023**



AFD1254 RECTIFIER, 3G SERIES

PIC 7750-2517A;
95 AMP;
133MM OD;
HAS AVALANCHE DIODES;
HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR;
SEE: AFD1253 (WITH STANDARD DIODES);
LESTER 7749, 7750, 7751, 7753, 7755, 7760, 7785, 7790, 7793, 7794;

**REPL.: REFERENCE NUMBER
FR2013SP**



AFD1256 RECTIFIER, 3G SERIES

PIC 7750-2519A;
FOR 3G SERIES;
130 AMP;
70 AMP DIODES;
HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR;
SEE: AFD1215 (STANDARD RECTIFIER);
LESTER 7752, 7756, 7764, 7765, 7768, 7769, 7770, 7771, 7774, 7775, 7776, 7777, 7778, 7784, 7789, 7791, 7792, 8267;

**REPL.: REFERENCE NUMBER
FR2023SP**



AFD1258 RECTIFIER, 6G SERIES

PIC 7750-2526A, -B;
110 AMP;
136MM OD;
WITH AVALANCHE DIODES;
HAS DROP DOWN STATOR CONNECTIONS FOR EASIER RE-ATTACHMENT TO STATOR;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
LESTER 8316, 8317;

**REPL.: REFERENCE NUMBER
FR603, FR6033**



AFD1261 RECTIFIER, 6G SERIES

PIC 7750-2528A;
135 AMP; 149MM OD;
HEAVY-DUTY CONSTRUCTION; AVALANCHE DIODES;
HAS DROP DOWN STATOR CONNECTIONS;
8-DIODE RECTIFIER FOR 6G STATORS WITH 2-LEADS PER PHASE AND A Y-CONNECTION;
SEE: AFD1249 (AVALANCHE, WO/DROP DOWN)
SEE: AFD1260 (STD. DIODES, W/DROP DOWN);
LESTER 7795, 8253, 8315, 8516;

**REPL.: REFERENCE NUMBER
FR6023SP**

