

NEW PRODUCTS

MAIN LOCATION 800.328.5454 | EAST COAST 855.214.0712 | WEST COAST 800.457.1728 | CANADA 877.617.2888

AG / INDUSTRIAL



AND0601
For Allis Chalmers,
Bobcat
IR/IF; 12-Volt;
140 Amp;
Lester 12478;
PIC 290-451;

Clock Position 12

USED ON:
Allis Chalmers and Bobcat Applications
Spra Coupe Sprayers
1998-03 AGCO 3440 / 3640 / 4440 / 4640 w/Perkins 4cyl Dsl
All Melroe 3440 / 3640 w/Perkins 4cyl Dsl

REPLACES:
DENSO
101211-7880;
ALLIS CHALMERS
6672015;
BOBCAT
6672015;



SB00357
For KHD
DD; 12-Volt;
CW; 11-Tooth;
PIC 120-6185;

USED ON:
1989-On KHD Engines F2L1011

REPLACES:
BOSCH
0-001-362-701;
DEUTZ
1179470;
KHD
117-9470;



SB00359
For Iveco, Fiat
DD; 12-Volt;
CW; 9-Tooth;
Lester 30036;
PIC 102-232, 120-6121,
182-331;

USED ON:
Iveco, Fiat Industrial Applications

REPLACES:
BOSCH
0-001-362-102;
IVECO
106055, 4856055;
MARELLI
63217410, MT74L;



SB06132
Solenoid
12-Volt; 3-Terminal;
For John Deere

Battery Terminal: 10mm x 1.5
Motor Terminal: 8mm x 1.25
Switch Terminal: 5mm Stud (LH)
Relay Terminal: None
Bosch Starter, # F-002-G20-658

USED ON:
John Deere 5045D, 5055E, 5065E, 5075E Tractors

REPLACES:
BOSCH
F-002-G20-682;

AG / INDUSTRIAL



SIA0009

For Case, Cummins
PLGR: 12-Volt;
CW: 10-Tooth;
Lester 19866;
 PIC 182-549;

Oil Sealed

USED ON CASE:

Combines
 2005-On 2377
 1998-On 2388 w/Cummins 8.3L
 2006-On 2577 / 2588
 2008-On 5088 / 6088 w/Case 208.3L
 2007-On 7088 w/Case 9.0L

Cotton Pickers
 2006-On 420 w/6-505 Dsl
 2006-On 620 w/6-505 Dsl
 2006-On 625 w/6-550 Dsl
 2005-06 CPX420 / CPX610 / CPX620

REPLACES:

LETRIKA
 IS 1077;
 MAHLE
 MS101;
 CASE
 84146320, 87419387;



SND0804

For Cummins
PLGR: 12-Volt;
CW: 11-Tooth;
Remanufactured;
 PIC 190-6470;

USED ON:

Cummins Ag and Industrial Applications

REPLACES:

DENSO
 428000-6800;
 CUMMINS
 5256155;

AUTO



AMT0229

For Mitsubishi
IR/IF: 12-Volt;
120 Amp;
Lester 11317;
 PIC 203-5126;

6-Groove Pulley 60mm OD
 Clock Position 12
 G-L-S-F Plug

USED ON:

2007-16 Mitsubishi Outlander w/3.0L

REPLACES:

MITSUBISHI
 A3TG4491, -ZC;
 MITSUBISHI MOTORS
 1800A141;



AVA0078

For GM
IR/IF: 12-Volt;
130 Amp;
Lester 11265;
 PIC 208-221;

5-Groove Pulley 57mm OD

USED ON:

Chevrolet
 2008-10 Cobalt w/2.2L
 2008 Cobalt w/2.4L
 2008 Malibu w/2.2L
 2008-10 Malibu w/2.4L

Pontiac
 2008-09 G5 w/2.2L, 2.4L
 Saturn
 2008-09 Aura w/2.4L
 2008 Sky w/2.4L
 2008 VUE w/2.4L

REPLACES:

VALEO
 FG12S010;
 GENERAL MOTORS
 15828450;



SBO0218

For Mercedes Benz
PMGR: 12-Volt;
CW: 10-Tooth;
Lester 19054;
 PIC 120-483A;

This is a Later Version of the SBO0217

USED ON MERCEDES BENZ:

2009-12 C300 w/3.0L	2009-12 GL550 w/5.5L
2009-11 C350 w/3.5L	2010-13 GLK350 w/3.5L
2009-10 CL550 w/5.5L V8	2010-11 ML350 w/3.5L
2009-11 CLS550 w/5.5L	2009-11 ML550 w/5.5L
2010-11 E350 w/3.5L	2009-11 R350 w/3.5L
2011 E350 w/3.0L Dsl	2009-11 S550 w/5.5L
2009-11 E550 w/5.5L	2009-12 SL550 w/5.5L V8
2009-15 G550 w/5.5L	2010-11 SLK300 w/3.0L
2009-12 GL450 w/4.7L	2010-11 SLK350 w/3.5L

REPLACES:

BOSCH
 0-001-107-461, -2;
 MERCEDES BENZ
 006-151-59-01;
 STEYR
 006-151-59-01;

AUTO



SBO0220
For Mercedes Benz
PMGR: 12-Volt;
CW: 10-Tooth;
Lester 19115;
PIC 120-5113;

USED ON MERCEDES BENZ:
 2010-11 E350 w/3.5L
 2011 E350 w/3.0L Dsl
 2010-13 GLK350 w/3.5L
 2007-11 S550 w/5.5L

REPLACES:
BOSCH
 0-001-107-459, -60;
MERCEDES BENZ
 006-151-60-01, A006-151-60-01;



SBO0350
For Buick, Chevrolet
PMGR: 12-Volt;
CW: 9-Tooth;
Lester 19112;
PIC 120-6406;

USED ON:
 2013-15 Buick Encore w/1.4L
 2011-15 Chevrolet Cruze w/1.4L
 2012-15 Chevrolet Sonic w/1.4L
 2013-15 Chevrolet Trax w/1.4L

REPLACES:
BOSCH
 0-001-107-521, -22;
GENERAL MOTORS
 55576954, -8921;



SBO0355
For Kia
PMGR: 12-Volt;
CW: 11-Tooth;
Lester 32671;
PIC 120-6555;

USED ON:
 2014-16 Kia Rio w/1.6L
 2013-16 Kia Soul w/1.6L

REPLACES:
BOSCH
 0-001-138-055, -6;
HYUNDAI
 36100-2B302;



SMT0437
For Chrysler, Dodge
PMGR: 12-Volt;
CW: 8-Tooth;
Lester 19141;
PIC 103-5180;

USED ON:
 2012-14 Dodge Avenger w/2.4L
 2012-14 Chrysler 200 Series w/2.4L

REPLACES:
MITSUBISHI
 MOT34071;
CHRYSLER
 56Q29584AA, RL029584AA;



SMT0440
For Chrysler, Fiat,
Jeep, Ram
PMGR: 12-Volt;
CW: 10-Tooth;
Lester 19145;
PIC 103-5184;

USED ON:
 2015-16 Chrysler 200 Series w/2.4L
 2016 Fiat 500X w/2.4L
 2014-16 Jeep Cherokee w/2.4L
 2015-16 Jeep Renegade w/2.4L
 2015-16 Ram Promaster City w/2.4L

REPLACES:
MITSUBISHI
 MOT39071ZC;
CHRYSLER
 68Q84005AA;

HD TRUCKS



SBO0361
For Ford, Volkswagen
DD: 12-Volt;
CW: 10-Tooth;
PIC 920-2967;

USED ON:
 Ford, Volkswagen Trucks

REPLACES:
BOSCH
 9-000-083-077;
FORD
 TJG 911 023 B;
VOLKSWAGEN
 TJG-911-023B;

HD TRUCKS



SDR0477
For 39MT
PLGR: 12-Volt:
CW: 11-Tooth:

Rotatable D/E Housing
.66 (5/8 Inches) Mounting Holes
w/OCP and w/IMS
Wet Clutch Sealed
HD Version of SDR0476

USED ON:
Heavy Duty Truck Applications

REPLACES:
DELCO
8200308:

POWERSPORTS



ACA6000
Voltage
Regulator / Rectifier
12-Volt:
For Can-Am ATV

USED ON:
2008-15 DS450 w/449cc
2008-15 DS450 X w/449cc

REPLACES:
BOMBARDIER
710-000-803:
SHINDENGEN
SH790AA:



AHD6021
Voltage
Regulator / Rectifier
12-Volt:
For Harley Davidson M/C

Black Finish
For Chrome Finish, Use AHD6021-C
USED ON:
2008-09 Harley Davidson Dyna Models

REPLACES:
HARLEY-DAVIDSON
74631-08:



AHD6022
Voltage
Regulator / Rectifier
12-Volt:
For Harley Davidson M/C

Black Finish
For Chrome Finish, Use AHD6022-C
USED ON:
2006-08 Harley-Davidson FLT, FLH Models

REPLACES:
HARLEY-DAVIDSON
74505-06:



AHD6024
Voltage
Regulator / Rectifier
12-Volt:
For Harley Davidson M/C

Black Finish
For Chrome Finish, Use AHD6024-C
USED ON:
2004-05 Harley-Davidson FLT, FLH Models

REPLACES:
HARLEY-DAVIDSON
74505-04:



AHD6025
Voltage
Regulator / Rectifier
12-Volt:
For Harley Davidson M/C

Black Finish
Harley-Davidson 22A Systems
For Chrome Finish, Use AHD6025-C
USED ON:
2004-06 Harley-Davidson Sportster, XL Models

REPLACES:
HARLEY-DAVIDSON
74523-04:



IPO6010
CDI Module
For Polaris ATV
Capacitive
Discharge Ignition

85mm L x 37.6mm W x 23.9mm T
USED ON:
2004-06 Polaris Predator 50
2003 Polaris Scrambler 50

REPLACES:
POLARIS
0451021:

POWERSPORTS



IYA6055
CDI Module
 For Yamaha M/C
 Capacitive
 Discharge Ignition

USED ON:

2004-07 Yamaha V-Max VMX12 w/1198cc
 1990-03 Yamaha V-Max VMX1200 w/ 1198cc

REPLACES:

YAMAHA
 3JP-82305-11-00, -12-00,
 -13-00;



RFM9000
Wire & Plug

Used With RFM0006 to Allow More Applications

REPLACES:

N/A



SMU0186
 For Kawasaki,
 Suzuki M/C
 PMDD; 12-Volt;
 CCW; 9-Spline;
 Lester 18692;
 PIC 191-350;

USED ON:

Kawasaki
 1996-99 VN1500 Vulcan 1500 w/1470cc
 1996-08 VN1500 Vulcan 1500 Classic w/1470cc
 2000-02 VN1500 Vulcan 1500 Classic FI w/1470cc
 1999-05 VN1500 Vulcan 1500 Drifter w/1470cc
 2002-03 VN1500 Vulcan 1500 Mean Streak w/1470cc
 1999-01 VN1500 Vulcan 1500 Nomad w/1470cc
 2000-04 VN1500 Vulcan 1500 Nomad FI w/1470cc
 1996-97 VN1500 Vulcan 1500L w/1470cc
 1987-95 VN1500 Vulcan 88 w/1470cc
 1987-90 VN1500 Vulcan 88SE w/1470cc
 2003-08 VN1600 Vulcan 1600 Classic w/1552cc
 2004-08 VN1600 Vulcan 1600 Mean Streak w/1552cc
 2005-08 VN1600 Vulcan 1600 Nomad w/1552cc
 Suzuki
 2004-05 VZ1600 Marauder w/1552cc

REPLACES:

KAWASAKI
 21163-1109, -271;
SUZUKI
 K2116-31271;



SMU0536
 For KTM M/C
 PMDD; 12-Volt;
 CW; 9-Spline;
 PIC 191-587;

USED ON:

2008-12 1190 RC8 w/1148cc
 2009-14 1190 RC8 R w/1195cc
 2010 1190 RC8 R LTD w/1195cc

REPLACES:

KTM
 61240001000;



SMU0541
 For Polaris UTV
 PMDD; 12-Volt;
 CW; 9-Spline;
 Lester 19487;
 PIC 191-697;

USED ON:

2016-17 General 1000 EPS w/999cc
 2016-17 General 1000 EPS DLX w/999cc
 2016-17 General 4 1000 EPS w/999cc
 2014-15 Ranger 4x4 900 Crew w/875cc
 2013-15 Ranger XP 900 w/875cc
 2014-15 RZR 1000 XP w/999cc
 2014-15 RZR 1000 XP Int'l w/999cc
 2014-15 RZR 4 1000 XP w/999cc
 2013-15 RZR 4 900 XP w/875cc
 2013 RZR 4 900 XP EFI w/875cc
 2014-15 RZR 900 EPS w/875cc
 2014 RZR 900 EPS Int'l w/875cc
 2013 RZR 900 XP EFI w/875cc
 2013 RZR 900 XP EPS w/875cc

REPLACES:

POLARIS
 4014037, -548;

POWERSPORTS



SMU6141
Solenoid, Remote
12-Volt;
For Ski-Doo
Snowmobiles

USED ON:
2011-13 Expedition 550F Sport
2012 Freeride 800RE
2010-14 Grand Touring
2008-12 GSX Series
2009 GTX Series
2008-13 MX Z Series
2010-13 Renegade Series
2010 Skandic Tundra Series
2008-12 Summit Series
2013 Tundra 550F LT / Sport

REPLACES:
DENSO
182800-4040;
BOMBARDIER
515-176-501;



SMU6171
Solenoid, Remote
12-Volt;
For Honda M/C

Battery Stud Left Front (Fuse in Rear) 7.5A Fuse
Sold With Rubber Mount - If Replacement is Not a Match to
Original Mount - Re-Use Mount - New Relay is Removable

REPLACES:
HONDA
35851-MF5-751;



SMU6175
Solenoid, Remote
12-Volt;
For Honda M/C

Battery Stud Left 15A Fuse
USED ON:
2006-11 CRF150F w/157cc
2003-14 CRF230F w/223cc

REPLACES:
HONDA
35850-KK6-740;

COMPONENTS



ADR5088
Pulley, 6-Groove;
For Delco

Includes Spacer for Use Between Bearing and Pulley
USED ON:
Delco 11SI Alternators
Lester 8723, 8725;

REPLACES:
N/A



SMT6250
Battery Extension Kit

BATTERY EXTENSION AND CAP:
Used on Chrysler
Lester 19026;

REPLACES:
N/A

WE KEEP YOU RUNNING



MAIN LOCATION

CALL: (800) 328-5454
FAX: (763) 255-2530
3787 95th Ave. NE
Blaine, MN 55014

EAST COAST

CALL: (855) 214-0712
FAX: (508) 857-0586
145 Bodwell Street
Avon, MA 02322

WEST COAST

CALL: (800) 457-1728
FAX: (209) 537-2856
821 Oates Court
Modesto, CA 95358

CANADA

CALL: (877) 617-2888
FAX: (416) 645-1972
398 Canarctic Drive
North York, Ontario M3J 2V3

The information herein is based upon data which we believe to be correct and believe to have been obtained from reliable sources, but no representation is made herein, nor should any be implied, regarding the accuracy of any such information and we assume no liability for any errors or omissions in any such information. Any original equipment manufacturers or other manufacturers or distributors, whose names, numbers, pictures, symbols, products and/or descriptions are, or may be, listed or shown herein are used for reference purposes only and there is no representation made or intended, nor should any be implied, that any item reference herein is the product of, or was manufactured and/or distributed, by, the referenced manufacturer or distributor, as the case may be. This brochure is intended for reference purposes only. For pricing or terms and conditions, please refer to your price sheet.