



NEW PRODUCTS

MAIN LOCATION 800.328.5454 | EAST COAST 855.214.0712 | WEST COAST 800.457.1728 | CANADA 877.617.2888

AG / INDUSTRIAL



AMT0263
For Caterpillar
IR/IF; 24-Volt;
35 Amp;

Lester 20059;
PIC 203-5396;

USED ON:
Caterpillar 308B Mini Excavators

REPLACES:
MITSUBISHI
A3TA8199;
MITSUBISHI INDUSTRIAL
ME108147;



SDR0412
For 42MT Series
DD; 24-Volt;
CW: 11-Tooth;

Lester 6553;
PIC 142-242J;

038 Degree D/E Frame
w/Overcrank Thermostat
USED ON:
Ag and Industrial Applications

REPLACES:
DELCO
10461358, 10479067, 10479142;



SDR0413
For 42MT Series
DD; 24-Volt;
CW: 11-Tooth;

Lester 6553;
PIC 142-242J;

308 Degree D/E Frame
w/Overcrank Thermostat
USED ON:
Ag and Industrial Applications

REPLACES:
DELCO
10479130;



SDR0431
For PG260E Series
PMGR; 12-Volt;
CW: 8-Tooth;

USED ON:
Hyundai Lift Trucks

REPLACES:
DELCO 8000340;
CLARK 1242718;
HYUNDAI 36100-2CC00;



SIA0012
For New Holland
PLGR; 12-Volt;
CW: 9-Tooth;

PIC 182-765;

USED ON:
New Holland Tractors

REPLACES:
LETRIKA IS 1262;
IVECO 5801441814;
MAHLE MS79;

AG / INDUSTRIAL



SNK0060
For 28MT Series
OSGR; 12-Volt;
CW; 12-Tooth;
Lester 6903;
PIC 140-927A;

4-Terminal Solenoid

USED ON:
1995-00 Bobcat Compact Excavators w/Kubota Dsl Engines,
Lister-Petter Applications

REPLACES:
NIKKO
0-23000-2138, 0-61000-0150;
BOBCAT
6665088;
DELCO
10461462, 10479606;



SDR5045
Drive
CW; 12-Tooth;
For Delco, Prestolite
Starters
PIC 6140-144C;

Gear OD: 45.9mm Gear ID: 15.9mm OAL: 131mm
Complete Screw Drive Pinion & Shaft Drive w/Spring

USED ON:
Delco, Prestolite Starters
Lester 3203, 3360, 3427, 3808, 3810, 3844, 3878, 4040, 4045, 4049, 4102, 4121, 4123, 4134,
4136, 4153, 4230, 4256, 4300, 4315, 4329, 4433, 4434, 4435, 4440, 4702, 4706, 4838, 4839,
4858, 4859, 4879, 4880, 5019, 5313, 5359, 5502, 5557, 5631, 5637, 5641;

REPLACES:
DELCO 807358, 811194, 1835965, 1841148, 1861363,
1862002, 1882486, 1915133, 1915153, 1920919;
CLARK 893117, 955361;
FACET 480401, A-1303, A-1685, A-1746, A-1795, A-2203,
A-2388, A-2471, A-3010, A-3315;
FORD SDX215;
LEECE NEVILLE M0290-12966, -4144, -4144A, -5120;
PRESTOLITE 59-16, 63-45, EB-33, EB-59, BA-11,
EBA-11A, EBB-122A, EBB-86;



SDR5047
Drive
CW; 12-Tooth;
For Delco, Prestolite
Starters
PIC 6140-144C9;

Gear OD: 45.9mm Gear ID: 15.9mm OAL: 145mm
Complete Screw Drive Pinion & Shaft Drive w/HD 9-Coil Spring

USED ON:
Delco, Prestolite Starters
Lester 3203, 3817, 3822, 3829, 4106, 4493, 4641, 4643,
4653, 4654, 4656, 4663, 4669, 4673, 4674, 4675, 5002,
5049, 5052, 5131, 5316, 5324, 5340, 5343, 5361, 5368,
5535, 5554, 5626;

REPLACES:
DELCO
1881148, 1892344;
FACET
480405;



SDR5078
Drive
CW; 11-Tooth;
For Various Starters
PIC 6140-535, -HD;

Gear OD: 41mm Gear ID: 15.9mm OAL: 116mm / 135mm
Rubber Cushion
Also Replaces Spring-Type

USED ON:
Lester 4065, 4130, 4340;

REPLACES:
DELCO 1882918, 1964297;
FACET 478920, 480348, A-2194;
INGERSOLL RAND 3BM-299-15;



SDR5080
Drive
CCW; 9-Tooth;
For Various Starters
PIC 6140-596;

Gear OD: 29mm Gear ID: 15.9mm OAL: 92-106mm
Mounting Pin Between Barrel and Cushion
Rubber Cushion Drive
See SPL5020 For CW Rotation Version

USED ON:
Prestolite & Delco Starters in Massey Ferguson Applications

REPLACES:
DELCO
1960178;
FACET
480041, 480377;

AG / INDUSTRIAL



SDR5086
Drive
CCW: 10-Tooth:
For Various Starters
 PIC 6140-121C9;

Gear OD: 39.5mm Gear ID: 15.9mm OAL: 145mm
 Complete Screw Drive Pinion & Shaft w/HD 9-Coil Spring
 Keyway & Set Screw

USED ON:
 Delco, Prestolite Starters

REPLACES:
 DELCO 1864682;
 PRESTOLITE 59-64;



SDR5101
Drive
CW: 10-Tooth:
For Various Starters
 PIC 6140-135C9;

Gear OD: 39.5mm Gear ID: 15.9mm OAL: 145mm
 Complete Screw Drive Pinion & Shaft w/HD 9-Coil Spring

USED ON:
 Delco, Prestolite Starters

REPLACES:
 DELCO 1849596, 1857818, 1862740, 1892342,
 1895342, 1905319, 1908050, 1912359;
 FACET 480402, 480403, A-941, A-709, A-3068,
 A-2584, A-1809, A-1591, A-1326;
 INTL HARVESTER 74751H, 472919C1, 442202R91;

LEECE NEVILLE M0290-12600, -12658, -4135A;
 MASSEY FERGUSON 1009-919-M91, 1049-812-M91;
 PRESTOLITE 59-14, 59-63, 63-43, EB-58, EB-94, EBA-8,
 EBA-23, EBA-8A;



SDR5127
Drive
CCW: 12-Tooth:
19-Spline:
For Various Starters
 PIC 6140-462;

Gear OD: 46.2mm Gear ID: 19.1mm OAL: 118.1mm
 Ratchet Clutch (Positorque) Drive
 Large Bore (19.1mm)

USED ON:
 Delco, Leece Neville, Prestolite Starters

REPLACES:
 DELCO 1930106, 1932604;
 CATERPILLAR 4N9334, 8S1541;
 FACET 480134, -278, -413;
 INGERSOLL RAND 150BMP-299-6;
 LEECE NEVILLE M0290-75251;
 PRESTOLITE 59-220, PD-11A;



SDR5164
Drive
CW: 13-Tooth:
19-Spline:
For Delco, Prestolite Starters
 PIC 6140-465;

Gear OD: 49.3mm Gear ID: 19.1mm OAL: 117.5mm
 Ratchet Clutch (Positorque) Drive
 Large Bore Version

USED ON:
 Delco 40MT, 50MT and Prestolite Starters

REPLACES:
 DELCO 1932603, 1985131;
 CASE R15156;
 FACET 480170, -210, -277, -415, -423;
 INGERSOLL RAND 150BMP-299-4;
 LEECE NEVILLE M0290-13539, -71158;
 PRESTOLITE 59-225, PD-13A;



SDR5165
Drive
CW: 13-Tooth:
19-Spline:
For Delco Starters
 PIC 6140-466;

Gear OD: 46.4mm Gear ID: 15.9mm OAL: 120.7mm
 Ratchet Clutch (Positorque) Drive
 Used To Replace 12-Tooth SDR5017 on Caterpillar Starters
 With a Meshing Problem

USED ON:
 Delco 40MT, 42MT, 50MT Starters

REPLACES:
 DELCO 1968447;
 FACET 480172, 480416;

AG / INDUSTRIAL



SDR5167
Drive
CCW: 14-Tooth:
For Delco, Prestolite
Starters
 PIC 6140-131RT;

Gear OD: 49mm Gear ID: 15.9MM OAL: 95 / 109mm **REPLACES:**
 Rubber Compression Barrel **FACET 480402;**
USED ON:
 Allis Chalmers, Case
 Used on Same Applications as SDR5050



SDR5168
Drive
CCW: 12-Tooth:
For Delco, Prestolite
Starters
 PIC 6140-128RT;

Gear OD: 46.5mm Gear ID: 16.0mm OAL: 95mm / 109mm **REPLACES:**
 Ratchet Flo Thru **N/A**
USED ON:
 Delco, Prestolite Starters
 Used on Same Applications as SDR5053



SDR5169
Drive
CW: 12-Tooth:
For Delco, Prestolite
Starters
 PIC 6140-144RT;

Gear OD: 46.4mm Gear ID: 15.9mm OAL: 95mm / 109mm **REPLACES:**
 Ratchet Flo Thru **FACET 480401;**
 Rubber Compression Barrel
USED ON:
 Delco, Prestolite Starters
 Used on Same Applications as SDR5045



SFD5029
Drive
CCW: 9-Tooth:
For Delco, Ford,
Prestolite Starters
 PIC 6140-502SP;

Gear OD: 29mm Gear ID: 15.8mm OAL: 120-135mm **REPLACES:**
 Straight Pin **DELCO 1882549, 1909855, D2011;**
USED ON: **FACET A-2033, A-2256, A-2898;**
 Delco, Ford, Prestolite Starters **FORD 52-11350-C, C2TF-11350-SP,**
 Used on Same Applications as SFD5022 and SDR5062 **D8NN-11350-BA, ECON-11350-C,**
SD5A;
PRESTOLITE 59-22, -3, 63-6,
EBA-35, -48;



SPL5010
Drive
CW: 9-Tooth:
For Delco, Prestolite
Starters
 PIC 6140-566HD;

Gear OD: 30mm Gear ID: 16.1mm OAL: 116mm / 135mm **REPLACES:**
 Rubber Flo Thru Includes Set Screw **PRESTOLITE 59-35, -110, -113,**
 Large Barrel Drive Slotted to Accept Woodruff Key **EBB-20, -20A, -26A;**
USED ON: **CHRYSLER 1473219, CH-1901;**
 Delco, Prestolite Starters **CLARK 854974;**
DELCO 1923166, 1947926;
FACET 480330, -337, A-3274, -365;
INGERSOLL RAND 3BM-299-13;
LEECE NEVILLE M0290-4566;
MASSEY FERGUSON 1501-750-M92,
1509-770-M91;
UNITED TECH BD1-10, DV-200553;



SPL5028
Drive
CCW: 10-Tooth:
For Various Starters
 PIC 6140-599;

Gear OD: 36.8mm Gear ID: 16mm OAL: 105mm / 120mm **REPLACES:**
 Rubber Flo Thru **PRESTOLITE 59-257, EBC-1;**
 Large Barrel Drive with Straight Middle Pin Retainer **FACET 10586;**
USED ON:
 Prestolite Starters

AG / INDUSTRIAL



SPL5031
Drive
CW: 19-Tooth:
For Various Starters
 PIC 6160-582, -92;

Gear OD: 25.4mm Gear ID: 12.1mm OAL: 116mm / 133mm
 Rubber Folo Thru Keyway & Set Screw
 Large Barrel Drive Also Replaces Spring-Type

USED ON:
 Lester 3406, 3444, 3449, 3453, 3454, 3460, 3464, 3471, 3594, 3596, 3597, 3638, 3642, 5222, 5228, 5237, 5254, 5616;

REPLACES:
PRESTOLITE 59-38, -44, -47, -132, -152, 63-19, -20, -24, -30, -32, -33, -33, EBB-26, -39, -48, -53, -68, -68B, -73, -79;
CHRYSLER CH-1908, CH-1918;
DELCO 1933791, 1935744, 1939444, 1951656, 1952486, D2018;
FACET 478971, 479056, 480001, -003, -351, -352, 353, A-3467, -474, -519, -596;
FORD SDC324;
INGERSOLL RAND 3BM-299-12;
LEECE NEVILLE M0290-4582;



SPL5035
Drive
CW: 9-Tooth:
For Various Starters
 PIC 6160-591;

Gear OD: 25mm Gear ID: 12mm OAL: 91-107mm
 Rubber Cushioned Drive
 Mounting Pin Between Barrel and Cushion

USED ON:
 Chrysler, Case, Massey Ferguson Starters
 Lester 3472, 3472, 3477, 5156, 5249;

REPLACES:
PRESTOLITE 59-4, 63-23, EBB-76;
CASE A25643;
CHRYSLER 1889938, CH-1905;
DELCO 1889938;
FACET 478957, 480372;
LEECE NEVILLE M0290-4591;
MASSEY FERGUSON 1019-26-M91, 1022-181-M91;



SPL5038
Drive
CCW: 9-Tooth:
For Allis Chalmers

Gear OD: 36mm Gear ID: 16mm OAL: 142mm / 160mm
 Rubber Cushioned Drive

USED ON:
 1968-73 Allis Chalmers
 Used on Same Applications as SPL5018

REPLACES:
FACET 10556, 480011;



SPL5039
Drive
CW: 10-Tooth:
For Prestolite Starters
 PIC 6160-584RT;

Gear OD: 39.9mm Gear ID: 15.9mm OAL: 142mm / 160mm
 Rubber Cushioned Drive

USED ON:
 Prestolite Starters
 Used on Same Applications as SPL5021

REPLACES:
FACET 10547, -8;



SPL5046
Drive
CW: 9-Tooth:
For Delco, Prestolite Starters
 PIC 6140-107RT;

Gear OD: 35.6mm Gear ID: 12.7mm OAL: 95mm / 108mm
 Rubber Folo Thru Keyway & Set Screw
 Large Barrel

Use This If Using a 6-Volt Starter on a 12-Volt System
 Original May Be 9-Tooth or 10-Tooth - Completely Interchangeable
USED ON:
 Delco, Prestolite Starters
 Used on Same Applications as SPL5005

REPLACES:
DELCO 1853598, 1866095;
FACET 480398;



SPL5047
Drive
CCW: 10-Tooth:
For Delco, Prestolite Starters
 PIC 6140-103RT;

Gear OD: 35.6mm Gear ID: 12.7mm OAL: 95 / 108mm
 Rubber Folo Thru Keyway & Set Screw
 Large Barrel

Use This If Using a 6-Volt Starter on a 12-Volt System
USED ON:
 Delco, Prestolite Starters
 Used on Same Applications as SPL5008 (9-Tooth and 10-Tooth Interchangeable)

REPLACES:
DELCO 1947742, 1959408;
FACET 480396, -7;

AG / INDUSTRIAL



SPL5048
Drive
CW: 10-Tooth:
For Various Starters
 PIC 6140-568HD;

Gear OD: 39.9mm Gear ID: 15.9mm OAL: 116/135mm
 Rubber Folo Thru Keyway & Set Screw
 Large Barrel Also Replaces Spring Type
USED ON:
 Various Starters
 Used on Same Applications as SPL5013

REPLACES:
DELCO
 1925079;
PRESTOLITE
 59-82, -117, EBB-31, -114A;



SPL5050
Drive
CCW: 9-Tooth:
For Various Starters
 PIC 6160-553HD;

Gear OD: 29mm Gear ID: 15.9mm OAL: 123 / 140mm
 Rubber Cushion Drive Also Replaces Spring Type
USED ON:
 Ford, Prestolite Starters
 Lester 3108, 3110, 3115, 3136, 5161, 5162;

REPLACES:
PRESTOLITE
 59-195, 59-248, EBB-132;
FORD
 C1AZ-11350-A, SD3;



SPL5055
Drive
CW: 12-Tooth:
For Delco, Prestolite Starters
 PIC 6160-583RT;

Gear OD: 46.3mm Gear ID: 15.9mm OAL: 123 / 140mm
 Rubber Cushion Drive Keyway & Set Screw
 Large Barrel
USED ON:
 Delco, Prestolite Starters
 Used on Same Applications as SPL5052

REPLACES:
FACET 10549, -50;



SPL5056
Drive
CCW: 10-Tooth:
For Various Starters
 PIC 6160-584LHRT;

Gear OD: 39.9mm Gear ID: 15.9mm OAL: 142 / 160mm
 Rubber Cushion Drive
USED ON:
 Various Starters
 Used on Same Applications as SPL5054

REPLACES:
FACET 10559;

AUTO



AFD0101-220
For 4G Series
IR/IF: 12-Volt:
220 Amp;

6-Groove Pulley 59mm OD
 High Amp Version of AFD0101
USED ON:
 2003-05 Ford Crown Vic. w/4.6L
 2003-05 Lincoln Town Car w/4.6L
 2003-05 Mercury Grand Marquis w/4.6L

REPLACES:
 N/A



AFD0107-220
For 4G Series
IR/IF: 12-Volt:
220 Amp;

6-Groove Pulley 64mm OD
 High Amp Version of AFD0107
USED ON:
 2003-05 Ford Crown Vic. w/4.6L
 2003-05 Lincoln Town Car w/4.6L
 2003-05 Mercury Grand Marquis w/4.6L

REPLACES:
 N/A

AUTO



AFD0149-220
For 4G Series
IR/IF: 12-Volt;
220 Amp;

6-Groove Clutch Pulley 60mm OD
High Amp Version of AFD0149
USED ON:
2003-04 Ford Mustang Cobra w/4.6L
2003-04 Ford Mustang Mach I w/4.6L

REPLACES:
N/A



AFD0164-220
For 4G Series
IR/IF: 12-Volt;
220 Amp;

8-Groove Pulley 65mm OD
High Amp Version of AFD0164
USED ON:
2008-10 Ford F-Series w/6.4L Dsl

REPLACES:
N/A



AMT0268
For Nissan
IR/IF: 12-Volt;
110 Amp;
Lester 11657;
PIC 203-014;

6-Groove Clutch Pulley 50mm OD
Clock Position 2
USED ON:
2013-16 Nissan Altima w/2.5L

REPLACES:
MITSUBISHI
A2TJ1881;
NISSAN
23100-3TA1A, -B, 2310M-3TA1BRW;



AND0226
For Jaguar
IR/IF: 12-Volt;
120 Amp;
Lester 13908;
PIC 290-5052;

6-Groove Pulley 59mm OD
USED ON:
2000-04 Jaguar S-Type w/3.0L

REPLACES:
DENSO
101211-7890, -2;
FORD
XR83-10300-BC;
JAGUAR
XR8-8577, XR8-42452;



AVA0137
For Chevrolet
IR/IF: 12-Volt;
130 Amp;
Lester 11560;
PIC 208-909, -C;

6-Groove Clutch Pulley 53mm OD
Clock Position 1
USED ON:
2011-15 Cruze w/1.8L
2016 Cruze Limited w/1.8L

REPLACES:
VALEO
FG12S032, -55, -70;
GENERAL MOTORS
13577411, 13588298, 23247389,
95939943;



SB00083
For Volkswagen
PMGR: 12-Volt;
CCW: 9-Tooth;
Lester 17068;
PIC 120-158;

USED ON:
1982-83 Volkswagen Vanagon w/1.6L Dsl

REPLACES:
BOSCH
0-001-110-009, -10;
VOLKSWAGEN
068-911-023M;



SDR0410
For PG260C Series
PMGR: 12-Volt;
CW: 9-Tooth;
Lester 6929;
PIC 140-6085;

Ignition Stud 6mm x 1.0 (LH)
66mm Field Case Length
USED ON:
2010-11 Chevrolet Aveo w/1.6L

REPLACES:
DELCO
8000200, 25180808;

AUTO



SMT0339
 For Infiniti, Nissan
 PMGR: 12-Volt;
 CCW: 13-Tooth;
 Lester 19063;
 PIC 103-458, -A;

USED ON:
 2013 Infiniti JX35 w/3.5L
 2007-12 Nissan Altima w/3.5L
 2009-14 Nissan Maxima w/3.5L
 2009-12 Nissan Murano w/3.5L
 2011-12 Nissan Quest w/3.5L

REPLACES:
 MITSUBISHI
 MOTA0071, -71ZC, 72;
 NISSAN
 23300-JA10A, -C;



SMT0427
 For Cadillac
 PMGR: 12-Volt;
 CW: 12-Tooth;
 Lester 19136;
 PIC 103-5167;

USED ON:
 2012 Cadillac CTS w/3.0L, 3.6L

REPLACES:
 MITSUBISHI
 MOT23971;
 GENERAL MOTORS
 12645299;



SMT0436
 For Cadillac,
 Chevrolet
 PMGR: 12-Volt;
 CW: 12-Tooth;
 Lester 19136;
 PIC 103-5167A;

USED ON:
 2013-15 Cadillac ATS w/3.6L
 2013-14 Cadillac CTS w/3.0L, 3.6L
 2012-15 Chevrolet Camaro w/3.6L

REPLACES:
 MITSUBISHI
 MOT35876;
 GENERAL MOTORS
 12644788;



SND0785
 For Toyota
 PLGR: 12-Volt;
 CW: 9-Tooth;
 Lester 19175;
 PIC 190-6223;

USED ON CATERPILLAR:
 2010-12 Sequoia w/4.6L
 2010-16 Tundra w/4.6L

REPLACES:
 DENSO
 428000-6511;
 TOYOTA
 28100-0S031;



SND0786
 For Lexus, Toyota
 PMGR: 12-Volt;
 CW: 9-Tooth;
 Lester 19209;
 PIC 190-6390;

Can Replace The SND0653
USED ON CATERPILLAR:
 2011, 2013-16 Lexus LX570 w/5.7L
 2011, 2013-16 Toyota Land Cruiser w/5.7L
 2011-16 Toyota Sequoia w/5.7L
 2011-16 Toyota Tundra w/5.7L

REPLACES:
 DENSO
 428000-9091;
 TOYOTA
 28100-0S050;

HD TRUCKS



SDR041
 For 42MT Series
 PMGR: 24-Volt;
 CW: 11-Tooth;
 Lester 6552;
 PIC 142-242H;

Right Hand Mount
 52 Degree D/E Frame
 w/Overcrank Thermostat
USED ON:
 Ag and Industrial Applications

REPLACES:
 DELCO
 1993788, -828, 10461080, -1141;

MARINE



ADR0454
For 7SI Marine
Applications
IR/IF: 12-Volt;
100 Amp;

6-Groove Pulley 50mm OD
Clock Position 12
Special 100A Version of ADR0315 (70A)

USED ON:
Pleasurecraft Marine Applications

REPLACES:
N/A



ALU0038
For Isuzu Marine,
Others
IR/EF: 12-Volt;
70 Amp;
Lester 12526;
PIC 270-502;

1-V Pulley 68mm OD
3 Top Ears For Multiple Mounting
Insulated Return

USED ON:
Isuzu, Other Marine Applications with Diesel Engines

REPLACES:
PRESTOLITE
66021126M;
SOLE DIESEL
13817100;



TRM0107
For Honda Engines
Tilt / Trim Motor
12-Volt;

2-Wire
Overall Cord and Plug Length 36 Inches
Round Plug in Connector

USED ON:
2004-On Honda BF40, BF50 Engines

REPLACES:
HONDA
36120-ZW4-H12;



TRM0108
For Yamaha Engines
Tilt / Trim Motor
12-Volt;

Mtg. Ring 70mm
w/2mm Thick Round O-Ring
Coupler 2.6mm W x 8mm L x 6.5mm T

USED ON:
2006-On Yamaha F300, F350, FL350, LF300, LF350

REPLACES:
YAMAHA
6AW-43880-01-00;



TRM6001
Tilt / Trim Relay
12-Volt;
For OMC

69mm L x 41mm W x 38mm T
Plug #1 - (1) Large Green, (1) Large Blue Wires
Plug #2 - (1) Small Green, (1) Small Blue Wires
(1) Red Battery Positive Wire w/Eyelet
(1) Black Battery Ground Wire w/Eyelet

USED ON:
2004-On E-TEC 25, 30, 40, 50, 60, 75, 90, 115, 130, 150, 175, 200, 225, 250, 300HP

REPLACES:
OMC
586767, 0586767;

OUTDOOR POWER EQUIPMENT



SAB5350
Drive
CCW: 14-Tooth;
For United Tech Starters

Used on SAB0145
USED ON:
Outdoor Power and Ag/Ind Applications With Kohler Engines
Lester 5796;

REPLACES:
N/A

POWERSPORTS



AAC6006
Voltage
Regulator / Rectifier
12-Volt;
For Arctic Cat ATV

109mm L x 85mm W x 41mm T
Plug #1 - (3) Black Wires - 7 Inches Long
Plug #2 - (2) Black w/Red Wires
(2) Black w/White Wires - 7 Inches Long
Mounting Holes 65mm Center-to-Center (Oblong Holes)

USED ON:

2002 Arctic Cat 375 ATV 2000-08 Arctic Cat 500 ATV
2001-08 Arctic Cat 400 ATV

REPLACES:

ARCTCO
3402-682, 3530-028, -059;
PIAGGIO
629337, 629841;



ABW6002
Voltage
Regulator / Rectifier
12-Volt;
For BMW
M/C, Scooter

USED ON:

BMW Motorcycles BMW Scooters
2013-15 S1000R w/999cc 2012-14 C600 Sport w/600cc
2009-14 S1000RR w/999cc 2011-15 C650GT w/650cc
2014-15 S1000XR w/999cc
2011-14 HP4 w/1000cc

REPLACES:

BMW
12-31-7-718-422;
SHINDENGEN
FH012DA;



AHA6092
Voltage
Regulator / Rectifier
12-Volt;
For Honda ATV

USED ON:

2006-16 Honda TRX90 Fourtrax w/86cc

REPLACES:

HONDA
31600-HP2-671;
SHINDENGEN
SH741AA;



AHA6095
Voltage
Regulator / Rectifier
12-Volt;
For Honda M/C

USED ON:

2000-01 Honda VFR800F Interceptor w/781cc Engine

REPLACES:

HONDA
31600-MBG-306, -D01;
SHINDENGEN
SH579C-12;



AHA6097
Voltage
Regulator / Rectifier
12-Volt;
For Honda M/C

110mm L x 85mm W x 38.5mm T

2 Plugs
Wire Loom and Plugs 10 Inches Long

USED ON:

2004-09 VFR800 Interceptor w/781cc M/C
2004-09 VFR800A Interceptor ABS w/781cc M/C

REPLACES:

HONDA
31600-MCW-D61;
SHINDENGEN
SH689FA;



AHA6111
Voltage
Regulator / Rectifier
12-Volt;
For Honda M/C

90mm L x 80.5mm W x 29.1mm T

Plug #1 - (1) Red (Positive, (1) Green (Ground)

Plug #2 - (3) Yellow (Charging Coil)

Both Wires & Plugs 14 Inches OAL

Elongated Mtg. Hole (Left), Round Right

76.6mm (Outer), 60mm (Inner)

USED ON:

2010-16 VT1300CR, -CRA w/1312cc 2011-15 VT1300CTA w/1312cc
2010-14 VT1300CS, -CSA w/1312cc 2010-16 VT1300CX, -CXA w/1312cc
2010-15 VT1300CT w/1312cc

REPLACES:

HONDA
31600-MFR-671;
SHINDENGEN
FH008EJ;

POWERSPORTS



AHA6112
Voltage
Regulator / Rectifier
12-Volt;
For Honda ATV

90mm L x 80.5mm W x 30mm T
Width is Less Plugs
Right Mtg. Hole Oval
Mtg. Holes 77mm (Outer), 59.3mm (Inner)
USED ON:
2003-05 TRX650FA , -FGA Rincon w/649cc

REPLACES:
HONDA
31600-HN8-000, -003;
SHINDENGEN
FH007;



AHA6113
Voltage
Regulator / Rectifier
12-Volt;
For Honda M/C

Plug #1 - Red and Green Opposite From Other Similar Rectifiers
110mm L x 80mm W x 28.6mm T
Plug #1 - (2) Red Wires (Positive), (2) Green Wires (Ground)
Plug #2 - (3) Yellow Wires (Charging Coil)
Boot Over Plug #2
Wires (Incl. Plugs) Both 22 Inches OAL
USED ON:
2004-09 VTX1300C w/1312cc 2003-09 VTX1300S w/1312cc
2005-09 VTX1300R w/1312cc

REPLACES:
HONDA
31600-MEA-670, -741;
SHINDENGEN
SH579DA, SH579DB;



AHA6114
Voltage
Regulator / Rectifier
12-Volt;
For Honda M/C

94mm L x 82mm W x 23mm T
Plug #1 - (1) Red Wire (Positive), (1) Green Wire (Ground)
Plug #2 - (3) Yellow Wires (Charging Coil)
Boot Covers Both Plugs
(2) Elongated Mtg. Holes - 86mm (Outer), 59.5mm (Inner)
USED ON:
2010-13 VT750RS Shadow RS w/745cc
2013 VT750S w/745cc

REPLACES:
HONDA
31600-MGR-671;
SHINDENGEN
SH678FG;



APO6008
Voltage
Regulator / Rectifier
12-Volt;
For Polaris
Snowmobiles

USED ON:
2008-08 600 IQ Dragon w/599cc 2009-10 RMK w/700cc
2010-12 600 IQ Shift w/599cc 2009-10 800 IQ w/794cc
2007-10 600 IQ Touring w/599cc 2009-10 800 RMK w/794cc
2007-11 600 Switchback w/599cc And Many More

REPLACES:
POLARIS
4011731, 4012476,
4012930, 4013587;



APO6025
Voltage
Regulator / Rectifier
12-Volt;
For Polaris ATV

111mm L x 111mm W x 52.5mm H
Wire Loom 36 Inches Long B+ / B- Wires 11 Inches Long
USED ON:
2013-14 Scrambler 850 HO EPS/HO EPS Int'l w/850cc
2011-14 Sportsman 550 Forest/550 Touring EPS w/549cc
2013-14 Sportsman 850 Touring EPS HO w/850cc
2013-15 Sportsman 850 XP EPS HO w/850cc
And Many More

REPLACES:
POLARIS
4012678;

POWERSPORTS



APO6026

**Voltage
Regulator / Rectifier**
12-Volt:
For Polaris ATV, UTV

111mm L x 111mm W x 52.5mm H
Plug #1 in Loom #1 - (3) Yellow Wires, 25 Inches OAL
Red and Black Wires w/Eyelets in Loom #2, 23 Inches OAL

USED ON:
2012 RZR 570 EFI w/567cc
2012 RZR 900 XP/XP EFI w/875cc
2014 Sportsman 325 ACE EFI w/325cc

REPLACES:
POLARIS
4013904;



APO6030

**Voltage
Regulator / Rectifier**
12-Volt:
For Polaris ATV, UTV

111mm L x 111mm W x 52.5mm H
Plug #1 - Wire Loom 7 Inches Long
Plug #2 - Wire Loom 4.5 Inches Long
Single Yellow Wire w/Female Butt Connector 5 Inches Long

USED ON:
ATVs
2012-14 Sportsman 500 Tractor Forest w/499cc
2010-14 Sportsman 800 EFI w/760cc
2012-15 Sportsman 800 6x6 Forest w/760cc
UTVs
2011-13 Ranger 4X4 500 Crew w/499cc
2010-13 Ranger 4X4 500 EFI w/760cc
2010 Ranger 6X6 800 EFI w/760cc
And Many More

REPLACES:
POLARIS
4012748;



APO6032

**Voltage
Regulator / Rectifier**
12-Volt:
For Polaris ATV

111mm L x 111mm W x 52.5mm H
Plug #1 - (3) Yellow Wires, 49 Inches OAL
(1) Red Wire, (1) Black Wire, w/Eyelet, 24 Inches OAL

USED ON:
2015 Hawkeye 325 2x4 w/325cc
2014-15 Sportsman 570 EFI/EFI EPS/EPS Forest/ EFI HD w/567cc
2015 Sportsman 570 SP/SP EPS/SP MD w/567cc
2015 Sportsman ETX EFI/EFI HD w/30HP
And Many More

REPLACES:
POLARIS
4014543;



ASU6026

**Voltage
Regulator / Rectifier**
12-Volt:
For Suzuki M/C

76mm L x 47.5mm W x 28mm T
Plug #1 - (3) Yellow Wires - Charging Coil, 11.25 Inches OAL
Plug #2 - (1) Red Wire - Battery +
(1) Black Wire - Battery -, 9 inches OAL

USED ON:
2000-07 DR-Z400E w/398cc Off-Road
2000-14 DR-Z400S w/398cc Off-Road
2005-15 DR-Z400SM Supermotard w/398cc

REPLACES:
SUZUKI
32800-29F00;
SHINDENGEN
SH572E-12;



AYA6062

**Voltage
Regulator / Rectifier**
12-Volt:
For Yamaha M/C

85mm L x 80mm W (Heat Sink) x 28mm T
Mounting Holes 68.5mm C-to-C - Right Hole Elongated
Measurement Does Not Include Plugs

USED ON:
2011-16 V-Star 950 XVS95 w/942cc
2011-15 V-Star 950 Tourer XVS95C w/942cc
2011-16 Stryker XVS13C w/1304cc
2011-15 V-Star 1300 XVS13A w/1304cc
And Many More

REPLACES:
YAMAHA
27D-81960-00-00;
SHINDENGEN
SH821AA;

POWERSPORTS



AYA6063
Voltage
Regulator / Rectifier
12-Volt;
For Yamaha ATV

72mm L x 45.2mm W x 20mm T
Plug #1 - (1) Red, (1) Black, (1) White, (1) Yellow - 6.5 Inches OAL
Mounting Holes 59mm C-to-C

USED ON:
2004-09 YFZ450 w/449cc
2004 YFZ450 LE w/449cc
2005-09 YFZ450 SE w/449cc

REPLACES:
SHINDENGEN
SH712AB;



AYA6064
Voltage
Regulator / Rectifier
12-Volt;
For Yamaha M/C

USED ON:
2003-06 WR250F w/249cc
2003-06 WR450F w/449cc

REPLACES:
YAMAHA
5TJ-81960-00-00, -01-00,
-02-00, -80-00;
SHINDENGEN
SH712AA, -AC;



SH10206
For Bobcat, Polaris
UTV
PMGR: 12-Volt;
CW: 9-Tooth;
Lester 19451;
PIC104-440;

B+ Stud 28mm Long

USED ON:
All Bobcat 3400, 3400XL, 3450, 3600, 3650 w/489cc 24.8HP Dsl
2013-14 Polaris Brutus 900 Diesel w/904cc
2012-14 Polaris Ranger 4x4 900 Crew Diesel w/904cc
2011-14 Polaris Ranger 4x4 900 Diesel w/904cc

REPLACES:
HITACHI
S114-940;
POLARIS
3070309;
YANMAR
119125-77010;



SMU0537
For KTM M/C
PMDD: 12-Volt;
CCW: 9-Spline;

USED ON:
2008-15 690 Duke
2010-15 690 Duke-R
2008-10 690 Enduro
2009-15 690 Enduro-R
2008-10 690 SMC
2012-15 690 SMC
2007-09 690 Supermoto M/C

REPLACES:
DENSO
428000-5261;
KTM
75040001000;



SMU0562
For Honda Scooters
PMDD: 12-Volt;
CW: 9-Spline;

USED ON:
2007-On Honda SH300 Scooters

REPLACES:
HONDA
31200-KTW-901;



SMU6138
Starter Relay
12-Volt;
For Kawasaki
M/C, UTV

USED ON:
Motorcycles
1986-06 VN750 Vulcan 750 w/749cc
1987-03 ZG1200 Voyager XII w/1196cc
1990-93 ZR550 Zephyr w/553cc
1991-93 ZR750 Zephyr w/738cc
1987-90 ZX750 Ninja 750R w/748cc
UTVs
KAF450 Mule 1000 (All) w/454cc

REPLACES:
KAWASAKI
27010-0788, -1209;

POWERSPORTS



SMU6145
Starter Relay
12-Volt;
For Polaris ATV

B+ & Motor Studs 6mm x 1.0 x 9.5mm
(2) Wires w/Male Bullet Connectors (1-Purple & 1-White w/Red)
4 Inches Long Each
Mtg. Holes Elongated (7.4mm L x 6.4mm W)

REPLACES:
POLARIS
4012013;

USED ON:
2008-11 Hawkeye 300 2x4 w/299cc
2008-10 Sportsman 300 w/299cc
2008-10 Sportsman 400 HO 4x4 w/455cc
2011-13 Sportsman 550 w/549cc
2010-14 Sportsman 550 EPS w/549cc
2013-14 Sportsman 550 XP HD w/549cc
And Many More



SMU6153
Starter Relay
12-Volt;
For Yamaha M/C

This Version Has 2-15A Fuses
Battery Stud on Right Front

REPLACES:
YAMAHA
2C0-81940-00-00;

USED ON:
2006-15 FZ1 w/998cc
2006-16 YZF-R6 w/599cc
2011-14 YZF-R1 w/998cc
2011-13 FZ8 w/779cc



SMU6156
Starter Relay
12-Volt;
For Yamaha M/C

Battery Stud on Lower Right (Plug in Rear)
30 Amp Fuses

REPLACES:
YAMAHA
3P6-81940-00-00;

USED ON:
2008-12 FJR1300A w/1298cc



SMU6157
Starter Relay
12-Volt;
For Yamaha M/C

Battery Stud on Lower Right (Plug in Rear)
30A Fuses

REPLACES:
YAMAHA
3D7-81940-00-00;

USED ON:
2008-16 WR250R w/249cc
2013-15 FJR1300A w/1298cc
2014-15 FJR1300ES w/1298cc



SMU6159
Starter Relay
12-Volt;
For Yamaha M/C

Battery Stud on Right Front
15 Amp Fuse

REPLACES:
YAMAHA
5VN-81940-00-00;

USED ON:
2008-14 Yamaha Road Star S XV17AS w/1670cc
2008-14 Road Star Silverado S XV17ATS w/1670cc
2008-10 Road Star Silverado XV17AT w/1670cc
2008-09 Road Star XV17A w/1670cc



SMU6160
Starter Relay
12-Volt;
For Yamaha M/C

USED ON:
1990-07 V-Max VMX1200 w/1198cc

REPLACES:
YAMAHA
3UF-81940-00-00;

POWERSPORTS



SMU6161
Starter Relay
12-Volt;
For Yamaha M/C

USED ON:
1992-98 XJ600S SECA II w/599cc

REPLACES:
YAMAHA
4BP-81940-00-00;



SMU6162
Starter Relay
12-Volt;
For Honda ATV

Cord OAL 15 Inches
(1) Male Bullet
(1) Female Bullet (w/Sheathing)

REPLACES:
HONDA
35850-HM8-A41, -A30;

USED ON:
2002-08 TRX250EX Sportrax w/229cc
2002-04 TRX250TE Fourtrax Recon ES w/229cc
2002-04 TRX250TM Fourtrax Recon w/229cc

2009-16 TRX250X w/229cc
2001 TRX250 Recon w/229cc
2001 TRX250EX Sportrax w/229cc



SMU6172
Starter Relay
12-Volt;
For Honda M/C

USED ON:
1993-16 Honda XR650L w/644cc

REPLACES:
HONDA
35850-MY6-670, -671;



SND0607
For Ski-Doo
Snowmobiles
PMDD: 12-Volt;
CW: 8-Tooth;
PIC 190-6197;

USED ON:
2008 GSX 500SS w/494cc
2008 GSX 800 w/796cc
2008 MX Z 500SS w/494cc
2008 MX Z 550SS w/553cc
2008 MX Z 600 w/594cc
2008 MX Z 800 w/799cc
2008 Summit 800R w/799cc

REPLACES:
DENSO
428000-5300;
BOMBARDIER
515-176-399;

COMPONENTS



ADR2113
Conversion Housing
For Marine
Applications

Used on ADR0445, ADR0446

REPLACES:
REFERENCE NUMBER 21-198;

USED ON:
Used to Make Multi-Position Mount CS130D Unit for Marine Use



AMT1152
Rectifier
12-Volt;
For Ford

USED ON FORD:
Lester 11274;

REPLACES:
N/A



AMT1153
Rectifier
12-Volt;
For Ford

USED ON FORD:
Lester 11275;

REPLACES:
N/A

COMPONENTS



AMT1623
Battery Extension Kit

BATTERY EXTENSION AND CAP:
Lester 11268, 11272, 11273, 11542;

REPLACES:
N/A



AMT1624
Battery Extension Kit

BATTERY EXTENSION AND CAP:
Lester 11274, 11275;

REPLACES:
N/A



AMT4047
Stator, 12-Volt;
For Chrysler
PIC 7203-8325;

Amps: 110 Amps
Stack ID: 106mm
Stack OD: 136mm
Stack Height: 27.4mm
Leads: 4

REPLACES:
REFERENCE NUMBER
27-8308;

USED ON CHRYSLER:

Lester 11008, 11025, 11174, 13577, 13597, 13749, 13786,
13888, 13949;



SNK6012
Solenoid
For Nikko Starters
24 Volt;
PIC 6685-4140;

Battery Terminal 10mm x 1.5
Switch Terminal 5mm x 0.8 Stud (RH)
Relay Terminal None
USED ON:
Nikko 7.5kW OSGR Starters

REPLACES:
NIKKO
0-47100-3940;



SNK6027
Solenoid
Control Relay
For Nikko Starters
24-Volt;

5-Terminal
Used on SNK0048, SNK0071

USED ON NIKKO STARTERS FOR AG/IND APPLICATIONS:
Lester 19096, 19874;

REPLACES:
NIKKO
0-25000-8330, -1, -2, -3;



SNK6028
Solenoid
Control Relay
For Nikko, Komatsu
24-Volt;

5-Terminal
6mm x 1.0 Threaded Mounting Hole
2-Blade Rectangular Plug

USED ON NIKKO, KOMATSU APPLICATIONS:
Lester 19869, 19969;

REPLACES:
NIKKO
0-25000-7510, -7970, -7972;

WE KEEP YOU RUNNING

MAIN LOCATION
CALL: (800) 328-5454
FAX: (763) 255-2530
3787 95th Ave. NE
Blaine, MN 55014

EAST COAST
CALL: (855) 214-0712
FAX: (508) 857-0586
145 Bodwell Street
Avon, MA 02322

WEST COAST
CALL: (800) 457-1728
FAX: (209) 537-2856
821 Oates Court
Modesto, CA 95358

CANADA
CALL: (877) 617-2888
FAX: (416) 645-1972
398 Canarctic Drive
North York, Ontario M3J 2V3

The information herein is based upon data which we believe to be correct and believe to have been obtained from reliable sources, but no representation is made herein, nor should any be implied, regarding the accuracy of any such information and we assume no liability for any errors or omissions in any such information. Any original equipment manufacturers or other manufacturers or distributors, whose names, numbers, pictures, symbols, products and/or descriptions are, or may be, listed or shown herein are used for reference purposes only and there is no representation made or intended, nor should any be implied, that any item reference herein is the product of, or was manufactured and/or distributed, by, the referenced manufacturer or distributor, as the case may be. This brochure is intended for reference purposes only. For pricing or terms and conditions, please refer to your price sheet.