



NEW PRODUCTS

MAIN LOCATION 800.328.5454 | EAST COAST 855.214.0712 | WEST COAST 800.457.1728 | CANADA 877.617.2888

AG / INDUSTRIAL



SDR0122
For Delco 37MT Series
DD: 12-Volt;
CW: 12-Tooth;

Lester 6444;
PIC 141-321;

5/8" Mounting Holes
1/2" Solenoid Battery Post
See SDR0125 For Same Unit With Opening In Opposite Direction

REPLACES:
DELCO
1993755, 1993878, 10461013;



SDR0125
For Delco 37MT Series
DD: 12-Volt;
CW: 12-Tooth;

Lester 6408;
PIC 141-320;

5/8" Mounting Holes
1/2" Solenoid Battery Post
See SDR0122 For Same Unit With Opening In Opposite Direction
USED ON:
1985-86 Clark 45C w/4-53N Tractor Shovels
1985-86 Clark 35C w/DD 3-53 Diesel Tractor Shovels
1985-86 Clark 55C w/DD 4-53N Diesel Tractor Shovels

REPLACES:
DELCO
1990498, 1993873, 10461010;



SDR0146
For Delco 50MT Series
DD: 24-Volt;
CW: 12-Tooth;

Lester 3872;
PIC 142-191;

5/8" Mounting Holes
USED ON:
1974 Caterpillar 594 w/D-353 Dsl Pipelayers
1974-89 Caterpillar 583K w/D-342 Dsl Pipelayers
All Caterpillar D7E Track Tractors
1969-74 Caterpillar D9G Track Tractors
And Many More

REPLACES:
DELCO 1109497, -632, -757, -779, -792, -849, -949, 1990232, -40, -47, 1993781, 10478862;
CATERPILLAR 374458, 1P9162, -82 3S4458, 3T2781, -3430, -8950, 7N8604, 8S9524, -42, 0R5214;
CUMMINS 3604645RX;



SDR0403
For Delco 38MT Series
PGLR: 24-Volt;
CW: 11-Tooth;

USED ON:
Daewoo Equipment Applications

REPLACES:
DELCO 8200334;
DAEWOO 65.26201-7088;



SDR0404
For Delco 38MT Series
PLGR: 24-Volt;
CW: 11-Tooth;

USED ON:
Doosan Applications

REPLACES:
DOOSAN 65.26201-7070;

AG / INDUSTRIAL



SDR0148
For Delco
50MT Series
DD; 24-Volt;
CW; 12-Tooth;
Lester 6374;
PIC 142-181;

5/8" Mounting Holes

USED ON:

Caterpillar

1970-81 815 Soil w/Cat. 3306 Compactors

1973-85 235 w/Cat. 3306 Excavators

1988-90 45B w/Cat. 3406 Excavators 2

1991-92 235C w/Cat. 3306 Front Shovel

1975-90 572G w/Cat. 3306 Pipelayers

1973-84 627B w/Cat. 3306 Scrapers

1977-97 D6D w/Cat. 3306 Track Tractors

1968-83 966C w/Cat. 3306 Wheel Loaders

1969-81 814 w/Cat. 3306 Wheel Tractor Dozers

And Many More

REPLACES:

CATERPILLAR

853961, 859207, 0R5215, 2P3926, 2S3473, 3S8473,

3S9207, 3T2776, 3T7226, 3T8946, 4N3180, -313,

6S9207, 6V0512, 7T4957,

8S3961, 8S9207;

CUMMINS 3603867RX;

DELCO 1109624, -628, -637, -640, -645, -795, -847,

-848, -998, 1990228, -0243, -3739, -3839, -3847,

-3989, 10461400;



SDR0151
For Delco
50MT Series
DD; 24-Volt;
CCW; 11-Tooth;
Lester 3702;
PIC 142-184;

5/8" Mounting Holes

USED ON:

Caterpillar Engines

1986-93 3508, 3512, 3516 All Industrial

1986-93 3508 w/8cyl 2105ci 34.5L Marine

Waukesha Engines

1968-89 F-2895 w/6cyl Gas LPG & Dsl

1968-70 L-1616, L-5790, L-7042G w/12cyl Gas and Dsl

And Many More

REPLACES:

DELCO

1109297, -648, -799, -830, 962,

1990236, -65, 10478874;



SIA0004
For Perkins
PLGR; 12-Volt;
10-Tooth;
PIC 182-235;

Replaces Marelli 63280041 (SND0518), if Desired

USED ON:

Agco Tractors

Bobcat Skid Steer L. TL360 w/Perkins 1104D-44TA (100HP)

Farmtrac 675 w/Perkins 1104D-44T, 75HP 4.4L

Hatta Tarim Hattat A Series

Massey-Ferguson MF 290 w/Perkins A4.248 1979-86

Perkins 1104D E44TA 4 CYL 117HP 4.4L

And Many More

REPLACES:

BOBCAT 7169477;

PERKINS 2873K625, -34;



SIA0005
For Perkins
PLGR; 12-Volt;
CW; 10-Tooth;
PIC 182-227;

Replaces Marelli 63280040 (SND0573), if Desired

USED ON:

Perkins Engines 1106, -D, -E, 66TA 6cyl, 6.6L 90kw &

205kw, 1106C, -E 60TA 4cyl, 6.0L 130kw

AUTO



AB00286

For Audi
IR/IF: 12-Volt;
150 Amp;

Lester 13773, 13773B;
PIC 220-5036, -A, -B;

6-Groove Pulley 57mm OD
Rear Bottom Mount Has Threaded Bushing
Air Scoop AT 9:00

USED ON:
1997-99 Audi A8 w/3.7L
1997-03 Audi A8 w/4.2L
2001-03 Audi S8 w/4.2L

REPLACES:
BOSCH 0-123-520-019;
VOLKSWAGEN 038-903-018G, 077-903-015F, -K;



AVA0089

For Mini
IR/IF: 12-Volt;
120 Amp;

Lester 11334;
PIC 208-5032;

6-Groove Clutch Pulley 49mm OD
USED ON:
2007-14 Mini Cooper w/1.6L

REPLACES:
VALEO 439617, 440174, 2605106,
TG12C059, -061, -120;
BMW 12-31-7-535-098, -576-513, -576-514, -615-484, -619-254;



AVA0131

For Audi
IR/IF: 12-Volt;
CW: 120 Amp;

Lester 11212;
PIC 208-693, -A;

5-Groove Clutch Pulley 56mm OD
USED ON:
Audi A4, A6
2000-05 Volkswagen Passat w/1.8L

REPLACES:
VALEO SG12B010, -74;
VOLKSWAGEN 06B-903-016AD, -E, -EX;



SMT0251

For Mazda
PMGR: 12-Volt;
CCW: 22-Tooth;

Lester 17991;
PIC 103-5054;

Thru Bolts Have Threaded Extensions
USED ON:
2005-08 Mazda 6 w/3.0L

REPLACES:
MITSUBISHI M1T96581;
MAZDA AJ34-18-400, -A;



SND0659

For BMW
PMGR: 12-Volt;
CW: 9-Tooth;

Lester 19079;
PIC 190-6254;

USED ON:
2009-13 BMW 550 SERIES w/4.4L
2009-12 BMW 750 SERIES w/4.4L
2011-12 BMW ALPINA B7 w/4.4L
2011-13 BMW X5 w/4.4L
2008-13 BMW X6 w/4.4L

REPLACES:
DENSO 428000-5480, -1;
BMW 12-41-7-556-131, 77-257;



SND0770

For Jeep
PMGR: 12-Volt;
CW: 9-Tooth;

Lester 19203;
PIC 190-6273;

USED ON:
2011-12 Jeep Grand Cherokee 3.6L

REPLACES:
DENSO 428000-7400;
CHRYSLER 4801694AC;

AUTO



SND0771

For Mercedes Benz
PLGR; 12-Volt;
CW; 12-Tooth;

Lester 30219;
PIC 190-9104;

USED ON:

2013-14 Mercedes Benz GLK250 w/2.1L DSL
Also Used In Europe:
2008-ON Mercedes Benz C220, C250 w/2.2L CDI
2009-ON Mercedes Benz E200, E220, E250 w/2.2L CDI
2009-ON Mercedes Benz GLK220, GLK250 w/2.2L CDI
And Many More

REPLACES:

DENSO 428000-5510;
MERCEDES BENZ 006-151-45-01,
651-906-00-26, A006-151-45-01,
A651-906-00-26;

DC MOTORS



LPL0050

For Anthony, Monarch,
MTE Hydraulics, Wapsa
Pump Motor
12-Volt; CCW;

Lester 10866;
PIC 160-994;

Slot Shaft
6-7/8 Inch Field Case
Offset Switch Mounting Holes

REPLACES:

PRESTOLITE MMY4003;
LEYMAN P33818;
MAXON 250093;



SAB0119

For Warn Winch
Winch Motor
12-Volt; Bi-Directional;

Lester 10756;
PIC 106-040;

2 Post
1.5HP
Permanent Magnet Motor
Tang Shaft
Shaft at the Drive End Has Flats on Each Side

REPLACES:

UNITED TECH
4348828-M030MM, MM43488;
WESTERN MOTORS
W-8804, -B;

HD TRUCKS



SDR0237

For Delco 42MT Series
DD; 12-Volt;
CCW; 11-Tooth;

Lester 6261, 6262;
PIC 142-215, -6;

5/8" Mtg Holes
USED ON:
Truck & Ind. Applications

REPLACES:

DELCO 1990395, -430, -439,
10461023, -168;



SDR0301

For Delco 37MT Series
DD; 12-Volt;
CW; 10-Tooth;

Lester 6464;
PIC 141-395;

De Housing #1986351
.42 (7/16 Inch) Mounting Holes
1/2 Inch Battery Stud - w/Solenoid Ground Stud
Rear CE Cover Ground Stud
Overcrank Protection
USED ON:
1992-99 Ford Heavy Duty Diesel Trucks

REPLACES:

DELCO 10478953;



***MOTOBATT* BATTERIES**

WITH QUADFLEX™ TECHNOLOGY


Now Available!!!



- Factory Activated
- More Starting Power
- Sealed and Maintenance Free
- Hardened Brass Non Porous Terminals
- SKU Consolidation Technology

37 SKU's REPLACE OVER 200 BATTERIES

Contact your sales rep or visit www.arrowheadep.com for additional info.




MBT6N4*
Capacity (10HR): 4Ah
Terminals: 2 (Wires)
Replaces: 6N42A, -2, -3, -4, -5, -6, -8;




MBT6N6*
Capacity (10HR): 6Ah
Terminals: 2 (Wires)
Replaces: 6N61B, -3B, -3B1, -1D, -1D2;



MB2.5U*
Capacity (10HR): 2.5Ah
Terminals: 2 (Wires)
Replaces: YB2.5L-C, -C-1, -C-2;




MB3U*
Capacity (10HR): 3.8Ah
CCA: 50
Terminals: 4
Replaces: YB3L-A, -B;




MBT4BB
Capacity (10HR): 2.5Ah
CCA: 40
Terminals: 2
Replaces: YT4BBS;




MT4R
Capacity (10HR): 2.5Ah
CCA: 45
Terminals: 2
Replaces: YTR4ABS;



MBTX4U
Capacity (10HR): 4.7Ah
CCA: 70
Terminals: 2
Replaces: YTX4LBS, YT4LBS, YB4LA, YB4LB;




MB5U*
Capacity (10HR): 7.0Ah
CCA: 90
Terminals: 4
Replaces: YB5LB, 12N53B, -4B;



MB5.5U*
Capacity (10HR): 7.0Ah
CCA: 90
Terminals: 4
Replaces: 12N5.5-3B, -4A;




MB7U
Capacity (10HR): 6.5Ah
CCA: 100
Terminals: 4
Replaces: YT7B4, -BS;



MBTX7U
Capacity (10HR): 8.0Ah
CCA: 115
Terminals: 2
Replaces: YTX7LBS;




MBT7ZS
Capacity (10HR): 6.5Ah
CCA: 100
Terminals: 2
Replaces: YTX5L-BS, YTZ6S, YTZ7S;




MB7BB*
Capacity (10HR): 9.0Ah
CCA: 150
Terminals: 4
Replaces: YB7B-B;




MB9U*
Capacity (10HR): 11Ah
CCA: 140
Terminals: 4
Includes 6 mm or 22 mm bottom spacer
Replaces: 12N73A, -3B, -D3B, -4A, -4B, YB7A, -AA, -LA, -LB, YB9A, -AA, -A2, -LA2, -B, -LB, -B2, -LB2, 12N93A, -A1, -B, -B1;



MBTX9U
Capacity (10HR): 10.5Ah
CCA: 160
Terminals: 4
Includes 5mm bottom spacer
Replaces: YTR9BS, YTX9BS, YT12ABS, YTZ12S, -14S;




MBT9B4
Capacity (10HR): 9.0Ah
CCA: 115
Terminals: 2
Replaces: YT9BBS, CT9B4;



MBTZ10S
Capacity (10HR): 8.6Ah
CCA: 190
Terminals: 4
Replaces: YTX7ABS, YTZ10S;




MB10U*
Capacity (10HR): 14.5Ah
CCA: 175
Terminals: 4
Includes 9mm bottom spacer
Replaces: 12N103A, -A1, -A2, -B, YB10AA2, A2, -LB, -LB2, 12N113A, -A1, -B;




MB12U*
Capacity (10HR): 15.0Ah
CCA: 150
Terminals: 4
Includes 14mm bottom spacer
Replaces: YB12AA, -AAS, -AAWS, -ALA, -ALA2, -AB, -CA 12N124A, -A4A1;




MBTX12U*
Capacity (10HR): 14.0Ah
CCA: 200
Terminals: 4
Includes 15mm bottom spacer
Replaces: YB12BB2, YTX12BS, YTX14BS, -HBS, -LBS, KMX14BS, YTX15L-BS;




MBT12B4
Capacity (10HR): 11.0Ah
CCA: 150
Terminals: 2
Replaces: YT12BBS, -B4;




MBT14B4
Capacity (10HR): 13.0Ah
CCA: 175
Terminals: 2
Replaces: YT14BBS, -B4;




MBTX14AU
Capacity (10HR): 16.5Ah
CCA: 210
Terminals: 4
Includes 8mm bottom spacer
Replaces: YTX14AH, -BS, -LBS, YB14A1, -A2, -AA, -AA1, -AA2, -B1, -B2, -LA1, -LA2, -LB1, -LB2, -LA2S, SYB14LA2, -B2, 12N143A, -B;




MBYZ16HD
Capacity (10HR): 16.5Ah
CCA: 240
Terminals: 4
Replaces: GYZ16H, YTX14BS, -HBS, -LBS, KMX14BS;



MB16U*
Capacity (10HR): 22.0Ah
CCA: 220
Terminals: 4
Replaces: YB16BA, -1, -2;



MBTX16U
Capacity (10HR): 19.0Ah
CCA: 250
Terminals: 4
Replaces: YTX16BS, -1, YT-X20A-BS, -CHBS;




MB16A*
Capacity (10HR): 19.0Ah
CCA: 200
Terminals: 2
Replaces: HYB16AA, -A-AB;




MB16AU*
Capacity (10HR): 20.5Ah
CCA: 230
Terminals: 2
Replaces: YB16ALA2;



MB18U*
Capacity (10HR): 22.5Ah
CCA: 280
Terminals: 4
Replaces: 51815, YB18A, -LA, -LA2;




MBTX20U/MBTX20UHD
Capacity (10HR): 21Ah
CCA: 310
Terminals: 4
Includes: 20mm bottom spacer, 13mm back side spacer
Replaces: 12N16 3A, -3B, -4A, -4B, YTX20BS, -HBS, -LBS, -HLBS, -HLBSPW, YB16A, -A2, -16B, -B2, -HLACX, SYB16LB, YB16LA, -LA2, -LB, -LB2, -CB, -CLB, -BCX, GT16-BS, -L-BS, CTX19-BS, -L-BS, GYZ20L, GYZ20HL;




MBTX24U
Capacity (10HR): 25.0Ah
CCA: 300
Terminals: 4
Includes 14mm bottom spacer
Replaces: 12N183, -A, CTX18-BS, -L-BS, GTX18L-BS, Y50N18AA, -LA, -LA2, -LA3, -LACX, SY50N18LA, -LAT, YTX24HLBS, -HL;




MBTX30U/MBTX30UHD
Capacity (10HR): 32.0Ah
CCA: 385
Terminals: 4
Includes 17mm bottom spacer
Replaces: Y60N24A, -ALB, -4LA, LA2, 12N24 3, -3A, -4, -4A, YIX30L, GYZ32HL, YB30LB, -CLB, -LA, -LB, 52515, 53030;



MBHD12H
Capacity (10HR): 33.0Ah
CCA: 390
Terminals: 2
Replaces: YHD-12H;



MBU1-35 (U1L)
Capacity (10HR): 35.0Ah
CCA: 420
Terminals: 2
Replaces: U1-7, -9, -32, -7B, -9B, -3, -32B, U1L-11 (OE);



MBU1R-35 (U1R)
Capacity (10HR): 35.0Ah
CCA: 420
Terminals: 2
Replaces: U1-R7, -R9, -R32, -R7B, -R9B, -R32B;

CHARGERS & ACCESSORIES

COMING SOON!!!

**MotoBatt
Baby Boy Charger
MBCBABY**



Description: Single Station Economy Charger
Output: 6V/12V 500mA

**MotoBatt
Little Boy Charger
MBCLB**



Description: Single Station Economy Charger
Output: 12V 1.0A

**MotoBatt PDC Series
Fat Boy Battery Charger
PDCFB**



Description: LITHIUM Battery Charging Capability
Output: 12VDC 2.0A

**MotoBatt PDC Series
Water Boy Battery Charger
PDCWB**



Description: Premium Featured Battery Maintenance Charger
Output: 6V/12V 1A



**Motobatt PDC Series Battery Charger 2 Bank
PDC2x2A**
Description: Motobatt PDC Series Battery Charger 2 Bank
Output: 12V 2.0A



**MotoBatt PDC Series Fat Boy Battery Charger
MB-VM**
Description: LITHIUM Battery Charging Capability
Output: 12VDC 2.0A



MB-CCAC
21' 18AWG Cable Lead with 7.5A fuse and Alligator Clip



MB-CL5
5' 18AWG Cable Lead Extension Cable



MB-CL25
25' 18AWG Cable Lead Extension Cable



MB-USB
Get power from 12V motorcycle battery
USB Output 5V 2.1A max
Ideal for charging the smart phone, Table PC and GPS from your motorcycle battery
User friendly connect the battery via SAE connector

Quick connect and disconnect
Weather proof housing, ideal for using outdoors
Dust cover for USB port

Optional hanging bracket is available
Over load protection
Reverse polarity protection

WE KEEP YOU RUNNING

HD TRUCKS



SDR0364
For Delco 29MT Series
PLGR; 12-Volt;
CW; 9-Tooth;
Lester 6845;
PIC 141-463;

3-Terminal Switch
DE Mounting Hole 11mm
USED ON:
Various Applications

REPLACES:
DELCO
8200003, -295, 10479646, -51;



SDR0367
For Delco 29MT Series:
PLGR; 12-Volt;
CW; 9-Tooth;
Lester 6849;
PIC 141-466;

3-Terminal Switch
Wet Clutch
USED ON:
Various Applications

REPLACES:
DELCO
8200103;



SDR0371
For Delco 37MT Series
DD; 12-Volt;
CW; 10-Tooth;
Lester 6545, 6660;
PIC 141-363, -397;

.42 (7/16 Inch) Mounting Holes
w/Overcrank Protection Thermostat
Rear Ce Cover Ground Post At 10:00
4-Terminal Switch
USED ON:
Used on Chevrolet / GMC Ford Medium and Heavy-Duty Trucks
1994-99 Freightliner FL 50, 60, 70, 80 w/Caterpillar 3126
1994-04 Kenworth T300 w/Caterpillar 3126
1995-03 Peterbilt 320, -20, -57, -62, -75 w/Caterpillar 3126
2000-03 Western Star All Models (By Engine) w/Caterpillar 3126

REPLACES:
DELCO
10461209, -20, 10479047, -169;



SDR0377
For Delco 37MT Series
DD; 12-Volt;
CW; 10-Tooth;
Lester 6905;
PIC 141-306B;

.42 (7/16 Inch) Mounting Holes
1/2 Inch Battery Stud
USED ON:
1994-99 Freightliner FL 50, FL 60, FL 70, FL 80 w/Cat 3126 Engine
2000-03 Western Star w/Cat 3126 Engine

REPLACES:
DELCO 10461207, 10479068;



SDR0405
For Delco 42MT Series
DD; 12-Volt;
CW; 11-Tooth;
Lester 6774;
PIC 142-347;

w/IMS System
USED ON:
Caterpillar Farm Tractors
65E Challenger w/Cat. 3176, -C
75E Challenger w/Cat. 3176C, 3177
Volvo Medium & Heavy-Duty Trucks
1994-00 ACL42 / ACL64 Series w/Cummins M11, DD 60 Series
1997-03 VNM Series w/Cummins ISM, M11, N14
1997-01 WA / WC / WG / WH / WI / WX Series w/Cummins ISM
And Many More

REPLACES:
DELCO 10461164, -214, -267,
10479028, -156, -294;
CATERPILLAR 146-3503, 198-7746;

HD TRUCKS



SMT0403

For Volvo
PLGR: 24-Volt;
CW: 10-Tooth;
Lester 30154;
PIC 103-067;

USED ON:

2006-ON Volvo FL240
2009-ON Volvo FL260
2006-ON Volvo FL280
2009-ON Volvo FL290
2006-ON Volvo FL320

REPLACES:

MITSUBISHI M8T62471;
VOLVO 85000750;

POWERSPORTS



AYA6012

Voltage
Regulator/Rectifier
For Yamaha ATV
PIC 8099-1507;

80mm L x 90mm W x 28.2mm H
Hole Distance 67.5mm
3-Phase w/Sensor

USED ON:

1987-94 Yamaha Big Bear 350 4WD YFM350FW w/348cc ATV
1986-91 Yamaha Moto-4 YFM225 w/225cc ATV
1990-94 Yamaha Moto-4 YFM350ER w/348cc ATV
1987-95 Yamaha Warrior 350 YFM350X w/348cc ATV

REPLACES:

YAMAHA 59V-81960-A0-00;



IMC0007

Ignition Coil
High Performance
for ATV / ATC

Universal 6 or 12-Volt Coil
With Plug Wire
5mm Mounting Holes - 32mm From Center-to-Center
1 Spade Connector
Non Resistor Metal Core Spark Plug Wire is About 19 Inches Long;

REPLACES:

REFERENCE NUMBER
24-71532, 604-1901;



IYA0009

Ignition Coil
For Yamaha

USED ON:

1995-03 Yamaha PW80
1986-87 Yamaha TT 350
1991-93 Yamaha WR Z 250

1985-00 Yamaha XT 350

1984 Yamaha XT L 250

1984-92, 1995-96 Yamaha YZ 80

1990-93 Yamaha YZ 125, 250

REPLACES:

YAMAHA
20N-82310-40-00, 30X-82310-40-00, 39K-82310-40-00, 3SR-82310-10-00;



SMU0096

For Honda M/C
PMDD: 12-Volt;
CCW: 10-Spline;

Lester 18671;
PIC 191-437;

USED ON:

1988-89 NX650 Dominator w/644cc
1993-15 XR650L w/644cc

REPLACES:

HONDA
31200-MN9-003, -13;



SMU0391

For Honda M/C
PMDD: 12-Volt;
CCW: 13-Spline;

Lester 18676;
PIC 191-434;

USED ON:

2001-05 GL1800 Gold Wing w/1832cc
2001-05 GL1800A Gold Wing w/1832cc

REPLACES:

HONDA 31200-MCA-003;

POWERSPORTS



SND9133
Parts Kit
For Lynx, Ski-Doo
Snowmobiles
(Includes Brush Holder)

USED ON:
Lynx
2006-10 Adventure GT 600 w/594cc
2003-06 Ranger 600 w/597cc
2006 Rave XT N-Duro 550 w/503cc
2003-05 Sport Touring 600 w/597cc

Ski-Doo
2005-06 Expedition 600 HO SDI w/597cc
2002-03 Grand Touring 600 w/597cc
2004-07 GSX 500SS w/494cc
2002-03 Legend 700 Sport w/698cc
2005-07 Mach Z 1000 SDI w/1004cc
2005-07 Summit 1000 Highmark w/1004cc
And Many More



SND9134
Parts Kit
For Yamaha
Snowmobiles
(Includes Brush Holder)

USED ON:
1997-03 Mountain Max 700 MM700 w/696cc
2001 Phazer Deluxe PZ500DX w/485cc
1999-02 SRX700 w/696cc
2004-06 SX Venom SXV60 w/696cc

2003-06 SX Viper ER SXV70ER w/696cc
2000-03 SX600 w/593cc
1997-03 Venture 600 VT600 w/494cc
1997-98 VMax 500 XT VX500XT w/494cc
And Many More



SND9135
Parts Kit
For Yamaha
Snowmobiles
(Includes Brush Holder)

USED ON:
1992-05 Enticer II LT ET410TR w/410cc
1985-88 Excel III EC340 w/340cc
1989-00 Ovation CS340E w/340cc
1990-96 Phazer II PZ480 w/485cc

1991-97 Venture XL VT480 w/485cc
1989-05 VK540 III VK540E w/535cc
1994-96 VMax 600 VX600 w/593cc
1985-90 XL-V XL540 w/535cc
And Many More



SND9137
Parts Kit
For Bombardier
ATVs & UTVs,
Lynx, Ski-Doo
Snowmobiles
(Includes Brush Holder)

USED ON:
Bombardier ATVs & UTVs
2011-13 Commander 800R w/800cc
2007-13 Outlander 500 w/500cc
2006-13 Outlander 650 w/650cc
2012-13 Renegade 1000 w/976cc

Lynx Snowmobile
2007-12 Various Models
Ski-Doo Snowmobile
2007-09 Expedition TUV-800 w/796cc
2007-09 Skandic Tundra V-800 w/799cc
And Many More



SND9139
Parts Kit
For Lynx, Ski-Doo
Snowmobiles
(Includes Brush Holder)

USED ON:
Lynx Snowmobiles
2013-14 Adventure GT 600 w/594cc
2013 BoonDocker 800R E-TEC w/799cc
2012 Commander 600 ETEC w/594cc
2011-14 Ranger 600 ETEC w/597cc
2011-14 Rave 550 w/553cc
2011-14 Xtrim BoonDocker 800 w/799cc
2012-14 YETI 550 w/553cc

Ski-Doo Snowmobiles
2011-14 Expedition 600 HO LE, -SE w/597cc
2012-14 Freeride 800RE w/800cc
2011-14 Grand Touring 550F Sport w/553cc
2010-14 GSX 600 HO LE, -SE w/594cc
2009-14 MX Z X 600 HO E-TEC w/594cc
2011-14 Renegade 550F Sport w/553cc
2010-12 Skandic Tundra 550F LT w/553cc
2009-14 Summit 800R X w/799cc
2013-14 Tundra 600 HO Extreme w/600cc
And Many More

COMPONENTS



SDR4581
Field Coil
For Delco

24-Volt
25mm OD x 75mm L
USED ON:
Delco 38MT Starters

ARROWHEAD ALSO PROUDLY CARRIES THE FOLLOWING O.E.M. LINES:



WE KEEP YOU RUNNING 

MAIN LOCATION

CALL: (800) 328-5454
FAX: (763) 255-2530
3787 95th Ave. NE
Blaine, MN 55014

EAST COAST

CALL: (855) 214-0712
FAX: (508) 857-0586
145 Bodwell Street
Avon, MA 02322

WEST COAST

CALL: (800) 457-1728
FAX: (209) 537-2856
821 Oates Court
Modesto, CA 95358

CANADA

CALL: (877) 617-2888
FAX: (416) 645-1972
398 Canarctic Drive
North York, Ontario M3J 2V3